

Patent Pending

FRONT VIEW

REV	DESCRIPTION	DATE	APPROVAL

Plenum Rated



Material	Mild Carbon Steel Rare Earth Magnet
Finish	J Hook -Galvanized Yellow Zinc Magnet & Cup-Triple Coat (NiCuNi)

Magnet Vertical Pull Test

Metal Thickness	Weight
1 mm (.04 inch)	22 lbs
2 mm (.08 inch)	45 lbs
3 mm (.12 inch)	90 lbs

1 5/16" J Hook assembled to 90 degree angle clip with permanent magnet attached
 Cat. 5e capacity 50, Cat. 6 capacity 32
 Cat. 6A (Min. OD 0.300")7, Cat 6A (Max OD 0.354") 7
 UL tested load 17 lbs., packaged 100 pcs. per box

Please read before us. Disclaimer: Mag-Daddy neither assumes nor accepts any liability for damages resulting from the handling or use of magnets. With your purchase, the buyer confirms that you have read and understood the following warnings: the buyer agrees that he/she is responsible for all damages and injuries caused by the magnets, which include personal injuries, property damages and magnet damages. The buyer must agree with the terms before purchase. Pull forces we have provided are estimates only, we are not responsible for any inaccuracy of the magnet pull force. Please test the pull force before any usage.

Magnets are very strong. Handling them with care is necessary to prevent personal injuries, property damages and magnet damages. Can be harmful to pacemaker wearers and others with medical implants.

Release Approval:	Tolerances: X = +/- 0.02in XX = +/- 0.01in XXX = +/- .005in Unless Otherwise Specified
Release Date:	Proprietary Rights: All information that is contained within is proprietary. Not for unauthorized use or disclosure.
Customer Approval:	

MAG DADDY
 MAGNETIC FASTENERS

Title:

1 5/16" Basic J Hook with Magnet Top Mounted

Size:	Scale:	Part Number:	Rev:
A	None	JH21MT	zw
Date:	Drawn by RO		X
Drawing Number	Shaet 1 of X		