



Fibre Optic Cleaning, Tools & Accessories

Swift Cleavers

CI-01



Features & Benefits

- Economical Price
- Stable Operation by Step-Action Process
- Compact Design
- High Precision Blade with 16 Cleave channel

Specification

Fibre Diameter	125µm
Coating Diameter	250 ~ 900 µm
Cleave Angle	90° ± 0.5°
Cleave Length	Single 5mm to 16mm (coated fibre ≤ 250µm) Single 10mm ~ 16mm
Blade Life time	50,000
Dimension	58x55x48mm
Weight	340g

CI-02



Features & Benefits

- Long life cycle with its stability by adopting double slide bearing system
- Oil Damper System
- Single Action(Full Automatic) for cleaving & collecting fibre chips

Specification

Fibre Diameter	125µm
Coating Diameter	250 ~ 900 µm
Cleave Angle	90° ± 0.5°
Cleave Length	Single 5mm to 16mm (coated fibre ≤ 250µm) Single 10mm ~ 16mm, Ribbon 10mm
Blade Life time	50,000
Dimension	84x65x54mm
Weight	420g



Fibre Optic Cleaning, Tools & Accessories

Swift Cleavers

CI-03A



Features & Benefits

- Single Action for Cleaving (Full Automatic)
- Oil Damper System
- Compact design

Specification

Fibre Diameter	125µm
Coating Diameter	250 ~ 900 µm
Cleave Angle	90° ± 0.5°
Cleave Length	Single 5mm to 16mm (coated fibre ≤ 250µm) Single 10mm ~ 16mm, Ribbon 10mm
Blade Life time	50,000
Dimension	58x55x48mm
Weight	340g

CI-03B



Features & Benefits

- Single Action(Full Automatic) for cleaving & collecting fibre chips
- Oil Damper System
- High Precision Blade with 16 Cleave channel

Specification

Fibre Diameter	125µm
Coating Diameter	250 ~ 900 µm
Cleave Angle	90° ± 0.5°
Cleave Length	Single 5mm to 16mm (coated fibre ≤ 250µm) Single 10mm ~ 16mm, Ribbon 10mm
Blade Life time	50,000
Dimension	88x55x48mm
Weight	350g



Fibre Optic Cleaning, Tools & Accessories

Swift Cleavers

CI-06



Specification

Cleave Angle	90° ± 0.5°
Cleave Life	2,000
Dimension	19x32x124mm
Weight	70g

CI-08



Features & Benefits

- Cleaving with oil damper system
- Typical Cleaving Angle Deviation : 6° ~ 9°
- Just one touch for tension, twisting cleaving

Specification

Fibre Diameter	125µm
Coating Diameter	250 ~ 900 µm
Cleave Length	6° ~ 9°
Blade Life time	30,000
Dimension	104x72x56mm
Weight	400g

Ordering Information

Product Code	Description
ILSHPCT01	Isintech cleaver CI-01
ILSHPCT02	Isintech cleaver CI-02
ILSHPCT03A	Isintech cleaver CI-03A
ILSHPCT03B	Isintech cleaver CI-03B
ILSHPCT06	Isintech cleaver CI-06
ILSHPCT08	Isintech cleaver CI-08